

PRODUCT GUIDE

OfficeSuite UC® Phones and Accessories

Verge – Phones

Verge 9308-WE Phone



Verge 9308-WE 8-key Color Phone

Exclusively designed for OfficeSuite UC 3.5 inch color display 8 self-labeling keys

Hands-free speakerphone

Integrated GigE switch

Analog headset-ready; EHS capable

Voicemail indicator

3 soft keys (plus More key)

10 function keys plus navigation cluster



Mitel 6920 Color Phone



OfficeSuite UC 18-Key Color Phone (6920)

3.5 inch 320x240 color display

18 self-labeling keys; 3 pages of 6 keys

Hands-free wideband speakerphone

Integrated GigE switch

Powered USB 2.0 port (100mA)

Analog and USB headset-ready

Voicemail indicator

4 soft keys

10 function keys plus navigation disc

Accessory expansion port for M695 PKM



Mitel 6930 Color Phone



OfficeSuite UC 72-Key Color Phone (6930)

4.3 inch 480x272 color display

72 self-labeling keys; 6 pages of 12 keys

Hands-free wideband speakerphone

Integrated GigE switch

Powered USB 2.0 port (500mA)

Built-in Bluetooth 4.1

Mobile integration standard

Analog, USB and BT headset-ready

Voicemail indicator

5 soft keys

10 function keys plus navigation disc

Optional Bluetooth handset (shown)

Accessory expansion port for M695 PKM, DECT headset



Mitel 6940 Color Touchscreen Phone



OfficeSuite UC 96-Key Color Touch Phone (6940)

7 inch 800x480 color touchscreen display

96 self-labeling keys; 6 pages of 16 keys

Hands-free wideband speakerphone

Integrated GigE switch

Powered USB 2.0 port (500mA)

Built-in Bluetooth 4.1

Mobile integration standard

USB and BT headset-ready

BT handset standard

Voicemail indicator

6 soft keys

Accessory expansion port for M695 PKM, DECT headset



OfficeSuite UC Mitel 6900 Series Accessories



M695 Color Programmable Key Module (PKM)

M695 Color Programmable Key Module (PKM)

28 programmable keys per PKM

4.3 inch 480x272 color display

Daisy-chain up to 3 PKM's per phone

One attached PKM can be powered by the phone via PoE LAN. Two or three PKM's require PoE+ (802.3at) switch or separate, external power adapter.

Optional wall mount kit sold separately



Mitel 6900 Integrated DECT headset

Supported on Mitel 6930 and 6940 phones

Fully integrated with your Mitel 6930 and 6940 phones

DECT 6.0

Range up to 300 feet

8 hours talk time, 43-hour standby, 3-hour charge

Powered from the phone

Can attach downstream of a PKM if needed



Mitel 6970 Conference Phone



Mitel 6970 Conference Phone

Purpose-built for Conference rooms up to 20x20 feet

7 inch 800x480 color touchscreen display

96 self-labeling keys; 6 pages of 16 keys

Hands-free wideband speakerphone

Powered USB 2.0 port (500mA)

Built-in Bluetooth 4.1

Mobile integration standard

Six fixed function keys, six soft keys

Optional corded extension microphones (sold as a pair)

No Voicemail indicator



	6920	6930	6940	6970	
LCD Display	3.5" (320x240) LCD	4.3" (480x272) LCD	7" (800x480) touchscreen LCD	7" (800x480) touchscreen LCD	
Soft-Label Buttons	18 (3 x 6 pages)	72 (6 x 12 pages)	96 (6 x 16 pages)	96 (6 x 16 pages)	
Ethernet Ports	2 x GigE	2 x GigE	2 x GigE	1x GigE	
IEEE Power-over-Ethernet	802.3af (3.4W typical)	802.3af (7.2W typical)	802.3af (9.0W typical)	802.3af (5.8W typical)	
Wideband Speakerphone	Yes	Yes	Yes	Yes	
USB Port	1 x Type A (100mA)	1x Type A (500mA)	1x Type A (500mA)	1 x Type A (500mA) 1x Mini USB	
Bluetooth 4.1 Support	Yes via USB BT dongle	Yes (built-in)	Yes (built-in)	Yes (built-in)	
Bluetooth Handset Support		Yes (optional)	Yes (standard)	No	
Wired Analog Headset Support	Yes	Yes	No	No	
EHS Headset Support	Yes	Yes	No*	No	
USB Headset Support	Yes	Yes	Yes	Yes	
Integrated DECT Headset Support		Yes	Yes	No	
DC Power Jack	Yes	Yes	Yes	Yes	
Onscreen keyboard	No	No	Yes	Yes	
Optional Wall Mount Support	Yes	Yes	Yes	No	
LCD PKM Support	Yes (3 max)	Yes (3 max)	Yes (3 max)	No	

^{* 6940} does not support EHS Headsets



Mitel 5304 Slim Phone



OfficeSuite UC Slim Phone (5304)

2 line LCD display			
9 keys; paper labels			
2 Line Appearances			
Has a speaker, but no microphone			
Integrated 10/100 switch			
No headset port			
Voicemail indicator			
No soft keys			
2 fixed function keys			
Accessories supported: none			
Optional wall mount kit sold separately			



Poly VVX 450 phone



12-line Color GigE (VVX450) phone

For the executive, upper manager

4.3" color backlit display

12 line keys, 4 pre-defined soft keys, 10 programmable soft keys

In-call keys: Call transfer, Hold & Voice Mail

Illuminated audio keys

2 USB ports (rear and side)

HD Audio

Integrated GigE switch

Supports up to two EM50 expansion modules



EM50 Expansion Module



Poly VVX EM50 expansion module

Supported on the VVX 450 only (shown, sold separately)

Ideal solution for high call volume handlers, receptionists, call attendants

4.3" color backlit display

30 line keys x 3 pages

1USB port (side)

USB connected to VVX 450

Up to two EM50 expansion modules can be supported on the VVX 450



Poly VVX 350 phone



6-line Color GigE (VVX350) phone

Feature-rich phone for advanced users, managers, offering additional call handling capabilities

3.5" color backlit display

6 line keys, 4 pre-defined soft keys, 10 programmable soft keys

In-call keys: Call Transfer, Hold & Voice Mail

Illuminated audio keys

2 USB ports (rear and side)

HD Audio

Integrated GigE switch



Poly VVX 250 phone



4-line Color GigE (VVX250) phone

Entry level phone for knowledge workers, SoHo

2.8" color backlit display

4 line keys, 4 pre-defined soft keys, 10 programmable soft keys

In-call keys: Call transfer and Hold

Illuminated audio keys

1USB port (rear)

Integrated GigE switch

Reversible base stand for wall mount



Poly VVX 150 phone



2-line LCD (VVX150) phone

Ideal for common areas, lobby, breakroom, copy room, etc.

132x64 monochrome backlit display

2 line keys, 4 pre-defined soft keys, 10 programmable soft keys

In-call keys: Call transfer, and Hold

Non-illuminated audio keys

No USB port

Wideband Audio

Integrated 10/100 Ethernet switch

Reversible base stand for wall mount



VVX x50 power adapter



Power Adapter VVX 150 through 450

Optional power adapter for LAN environments not already equipped with Power over Ethernet

For Poly VVX 150 through 450 model phones (sold separately)



OfficeSuite UC Poly VVX Phones

Poly oBi Wi-Fi adapter



Poly VVX OBi Wi-Fi dongle

Enable Poly devices that have a USB port with Wi-Fi connectivity

Supported on the following VVX phones: 250, 350, 401, 411, 450, 501, and 601 (each sold separately)

Dual-band 802.11ac 2.4 GHz and 5GHz frequencies

Wireless Data Encryption with 64/128-bit WEP, WPA, WPA2

Connects to the USB port of the VVX phone and configured via the phone screen by the customer with SSID and password

Recommended to connect and configure first in an Ethernet-wired environment and then switch to Wi-Fi

When using a phone via Wi-Fi only, you must provide VVX 150-450 power adapter (sold separately)



	VVX 150	VVX 250	VVX 350	VVX 450
Display	132x64 monochrome backlit	2.8" color backlit	3.5" color backlit	4.3" color backlit
HD Audio	Yes	Yes	Yes	Yes
Line Keys	2	4	6	12
Soft keys	4 pre-defined, 10 programmable	4 pre-defined, 10 programmable	4 pre-defined, 10 programmable	4 pre-defined, 10 programmable
Illuminated audio keys	No	Yes	Yes	Yes
In-call keys	Transfer, Hold	Transfer, Hold	Transfer, Hold, Voicemail	Transfer, Hold, Voicemail
Built-in switch	10/100	GigE	GigE	GigE
USB ports	none	1 (rear)	2 (rear and side)	2 (rear and side)
EM50 support	No	No	No	Yes (2 max.)
OBi Wi-Fi adapter support	No	Yes	Yes	Yes
Wall mountable	Yes	Yes	Wall mount 350 kit sold separately	Wall mount 450 kit sold separately





VVX 311 (GigE)

6-Line LCD phone

6 line keys, 4 soft keys

Integrated GigE switch



VVX 601

16-Line Color Touch phone

16 line keys, 5 soft keys

Color Touch, USB, Video, BT

Integrated GigE switch



VVX 501

12-Line Color Touch phone

12 line keys, 5 soft keys

Color Touch, USB, Video

Integrated GigE switch





VVX Color LCD Expansion module

28 keys x 3 pages

Daisy chain 3 Exp mods /phone

Works with VVX 301-601 phones



VVX USB Camera

Works on VVX 501 & 601 only





1-Line LCD (VVX 101)

2 line keys

Single 10/100 port



2-Line LCD (VVX 201)

2-Line LCD (VVX 201)

Two 10/100 ports

Limited functionality of VVX 101 and VVX 201

No log in/out function. Log in once manually and remain logged in.

No hot-desking, employee directory or speed dials.

No programmable keys of any sort; not via the portal or the phone.

Embedded menu items and pre-defined; soft keys only.

- + Call, Redial, Messages, Directories (for Calls List), Forward, DND, Settings
- + Transfer, Conference, Hold/Resume, DCP, Page, Park, Retrieve
- + Send, End, Answer, Reject, Ignore



OfficeSuite UC VVX Phone Summary

OFFICESUITE UC® PHONE MODEL	1-LINE LCD	2-LINE LCD	6-LINE LCD	12-LINE COLOR TOUCH	16-LINE COLOR TOUCH		
Manufacturer & Model	Poly VVX101	Poly VVX201	Poly VVX311	Poly VVX501	Poly VVX601		
Number of programmable keys	0	0	6 line keys, 10 soft keys	12 line keys, 10 soft keys	16 line keys, 10 soft keys		
Compatibility by peripheral							
Integrated Switch	No. Single 10/100 port	10/100	GigE	GigE	GigE		
Poly VVX Color LCD Expansion Module	No	No	Yes. Up to 3.	Yes. Up to 3. If 3, then need PoE adapter sold separately.	Yes. Up to 3. If 3, then need PoE adapter sold separately.		
Analog Headset port	Yes	Yes	Yes	Yes	Yes		
USB port	No	No	No	Yes	Yes		
Bluetooth (customer provides BT headset)	No	No	No	No	Native BT included		
USB Camera VVX 500/600	No	No	No	Yes	Yes		
Power over Ethernet Adapter	VVX 100/200	VVX 100/200	VVX 300/400	VVX 500/600	VVX 500/600		



Poly 6000 IP Soundstation Conference Phone



High-fidelity calls

Polycom acoustic clarity technology

On-board microphone for up to 12 participants

High-resolution display

PoE adapter sold separately

Optional pair of extension mics sold separately





OfficeSuite UC Advanced Cordless Phone

Advanced Cordless handset (8630) and base (9430)



DECT 6.0, 1.9 GHz. Range up to 300 feet

Pair up to 20 handsets per base

2 line appearances

9 speed dials

3.5mm headset port

3 soft keys

Lithium ion battery; 18 hours of talk time, 250 hours standby



Up to 3 bases per location

Optional repeater / range extender

Base supports 5 concurrent calls

Handset and base sold separately and only available through Windstream Enterprise.



DuraFon SIP System



EnGenius DuraFon SIP system

Bundle of the base and first handset

Supports a maximum of 10 handsets with a unique OfficeSuite UC extension

Base supports up to 4 simultaneous calls

Rugged base and handset designed for harsh environments and 50, six-foot drops

900 MHz technology with Frequency Hopping security

Superior range:

- + Up to 12 floors
- + 250,000 sq. ft.
- + 3,000 acres

Includes a handset charging cradle and belt clip

Includes a base power adapter



DuraFon SIP Handset





EnGenius DuraFon SIP Additional Handset

Additional handset for DuraFon SIP system

Requires DuraFon SIP base; sold separately

Supports a maximum of 10 handsets per base

Rugged handset designed to withstand 50, six-foot drops

900 MHz technology with Frequency Hopping security

5 hours of talk time; 50 hours on standby; 50 entry phone book

Includes a charging cradle with power adapter and belt clip



DuraFon SIP Base Station



DuraFon SIP Base Station

DuraFon SIP Base Station

Requires DuraFon SIP handsets; sold separately

Supports a maximum of 10 handsets per base

Maintain a distance of 30 ft. (10m) between base stations

Calls are not handed off between base stations

Rugged design withstands 50, six-foot drops

900 MHz technology with Frequency Hopping security

1LAN port per base supports up to 4 concurrent calls

Superior range:

- + 12 floors in building
- + 250,000 sq. ft. warehouse
- + 3,000 acre ranch/farm

Includes a power adapter



DuraFon PRO System



EnGenius DuraFon PRO system

Analog cordless phone system

Bundle of the base and first handset

Base supports up to 4 analog lines; sold separately

Expandable up to 8 base stations, 32 lines and 90 handsets

Rugged base and handset designed for harsh environments and 50, six-foot drops

900 MHz technology with Frequency Hopping security

Superior range:

- + Up to 12 floors
- + 250,000 sq. ft.
- + 3,000 acres

Includes a base power adapter

Includes a handset charging cradle and belt clip



DuraFon PRO Base Station



EnGenius DuraFon PRO Base Station

Replacement/additional DuraFon PRO base station

Requires DuraFon PRO handsets; sold separately

Supports up to 4 analog lines (sold separately) per base

Supports up to 8 base stations per site, maximum 32 lines (sold separately)

Supports up to 90 handsets total across all bases

Multiple bases sync to each other and can be installed in close proximity

Calls are not handed off between base stations

Rugged design withstands 50, six-foot drops

900 MHz technology with Frequency Hopping security

Superior range:

- + 12 floors in building
- + 250,000 sq. ft. warehouse
- + 3,000 acre ranch/far m

Includes a power adapter



DuraFon PRO Handset



EnGenius DuraFon PRO Additional Handset

Additional handset for DuraFon PRO (analog) system

Requires DuraFon PRO base; sold separately

Supports up to 90 handsets total across all bases

Rugged handset designed to withstand 50, six-foot drops

900 MHz technology with Frequency Hopping security

5 hours of talk time; 50 hours on standby; 90 entry phone book

Includes a charging cradle with power adapter and belt clip

